




DISTINTA DELLE PARTI COSTITUENTI LE POMPE CENTRIFUGHE AUTOADESCANTI SERIE " J " **SPARE PARTS LIST FOR " J " SERIES SELF-PRIMING PUMPS**



JS 6-250 G10	Code 10021235
JS 6-250 Q10	Code 10021267
JS 6-250 B10	Code 10021280
JS 6-250 P10	Code 10025397
JS 6-250 G20	Code 10037057
JS 6-250 G11	Code 10031837
JS 6-250 P30	Code 10025397
JS 6-250 D11	Code 10053105



JS 6-250 F10	Code 10021295
JS 6-250 K10	Code 10021337
JS 6-250 K20	Code 10030454



VARISCO S.p.A.

35129 Padova – Z.I. Nord Terza Strada, 9

Tel. 049 82 94 111

Fax 049 82 94 373

+39 049 82 94 111

International +39 049 80 76 762

Rif. N°. Pos. Nr.	Quant.	Denominazione	Part name	Den. Comm. Type	Mat. *	Codice Nuovo New Part. No.	JS 6-250 G10	JS 6-250 G20	JS 6-250 G11	JS 6-250 P10	JS 6-250 P30	JS 6-250 F10	JS 6-250 Q10	JS 6-250 B10	JS 6-250 K10	JS 6-250 K20	JS 6-250 D11
01	1	Corpo (1)	Casing (1)		G	1002 3930	○	○	○	○	○						
					G+N2	1005 3155											○
					G	1004 5063						○	○				
					B	1002 3931								○			
					K	1002 3932									○	○	
01.4	1	Spina	Spring pin	UNI 6873 5 x 10	S	1000 1775	○	○	○	○	○	○	○	○	○	○	○
02	1	Piatto d'usura (2)	Wear plate (2)		GN	1000 8429	○	○	○								
					G	1000 8433				○	○						
					G+N1	1005 3158											○
					B	1000 8405							○	○			
					G	1000 8433											
02.1	1	Piatto d'usura (3)	Wear plate (3)		K	1001 7998						○			○	○	
					GN	1002 3925	○	○	○								
					G	1002 3926				○	○						
					G+N1	1005 3160											○
					B	1002 3927							○	○			
03	1	Girante	Impeller		G	1002 3926											
					K	1002 3928						○			○	○	
					GS	1000 5458	○	○	○	○	○						
					GS+N4	1005 1636											○
					B	1000 5447							○	○			
06	1	Supporto completo (4)	Bearing housing compl. (4)		K	1000 5428						○			○	○	
06.1	1	Piede supporto	Bearing housing foot		G	1002 1227	○	○	○	○	○	○	○	○	○	○	○
06.2	2	Vite	Screw	M14 x 25 DIN 933	S	1002 1223	○	○	○	○	○	○	○	○	○	○	○
06.3	2	Rondella	Washer	M14 UNI1751/52 A	S	1000 2018	○	○	○	○	○	○	○	○	○	○	○
07	1	Albero (5)	Shaft (5)		S3	1002 1225	○	○	○	○	○						
					K7	1002 1264						○	○	○	○	○	
08	1	Copricuscinetto	Bearing cover		G	1000 4775	○	○	○	○	○	○	○	○	○	○	○
09	1	Flangia aspirazione	Suction flange	DN 150 D.I. 1882	S	1000 1499	○	○	○	○	○	○	○				○
					K	1002 1144									○	○	
10	1	Portavalvola	Suction flange		G	1000 6431	○	○	○	○	○	○					○
					OTS	1000 6402							○	○			
					K	1000 6452									○	○	
							+F	+F	+F	+F	+F	+F	+F				+F
14.1	1	Valvola completa	Check valve ass.		NG	1000 9026	○	○	○				○	○			○
					VK	1000 9036				○	○	○			○	○	
16	1	Portina	Cover		G	1000 6474	○	○	○	○	○	○					○
					GZ	1000 8503	+Z	+Z	+Z				○				
					OTS	1000 3749								○			
					K	1000 6503									○	○	
17 (**)	1	Guarnizione	Gasket	72 x 95 x 3													
19	1	Portamotore	Head		G	1002 1216	○	○	○	○	○	○					○
					G	1003 0451										○	
					B	1002 1276								○			
					K	1002 1332											
21	1	Flangia mandata	Discharge flange	DN 150 D.I. 1882	S	1000 1481	○	○	○	○	○	○	○	○			○
					K	1000 1545									○	○	
22 (**)	2	Guarnizione	Gasket	150 x 285 x 3			+F	+F	+F	+F	+F	+F	+F				+F
23	1	Portina	Cover		G	1000 6474	○	○	○	○	○	○					○
					GZ	1000 8503	+Z	+Z	+Z				○				
					OTS	1000 3749								○			
					K	1000 6503									○	○	
24 (**)	1	Guarnizione	Gasket	72 x 95 x 3													
25	1	Anello di tenuta compl.	Mechanical seal ass.	T45 YYN ND T45 YYT FL T 45 GWV BT T 45 YYV ND		1002 1228	○	○	○					○			○
						1002 3971										○	
						1002 3973					○						
						1002 1309				○	○	○			○		
26	1	Portina	Cover		G	1000 6477	○	○	○	○	○	○					○
					GZ	1000 8505	+Z	+Z	+Z				○				
					OTS	1000 3751								○			
					K	1000 6505									○	○	

VARISCO S.p.A.

35129 Padova – Z.I. Nord Terza Strada, 9

Tel. 049 82 94 111

+39 049 82 94 111

Fax 049 82 94 373

International +39 049 80 76 762


varisco
solid pumping solutions

Rif. N°. Pos. Nr.	Quant.	Denominazione	Part name	Den. Comm. Type	Mat. *	Codice Nuovo New Part. No.	JS 6-250 G10	JS 6-250 G20	JS 6-250 G11	JS 6-250 P10	JS 6-250 P30	JS 6-250 F10	JS 6-250 Q10	JS 6-250 B10	JS 6-250 K10	JS 6-250 K20	JS 6-250 D11
27 (**)	1	Guarnizione	Gasket														
33	1	Dado blocca girante	Impeller nut	M 30 x 2 UNI 7474	H	1000 1466	○	○	○	○	○						○
				M 30 x 2 UNI 7474	K	1000 1473						○	○	○	○	○	
42 (**)	1	Guarnizione piatto	Wear plate gasket														
43 (**)	1	Guarnizione corpo	Casing gasket														
45	4	Vite	Screw	M 12 x 45 DIN 931	S	1000 1963	○	○	○	○	○						○
				M 12 x 45 DIN 933	K	1000 2056						○	○	○	○	○	
45.1	4	Dado	Nut	M 12 DIN 934	S	1000 1422	○	○	○	○	○						○
					K	1000 1439						○	○	○	○	○	
45.2	4	Rondella	Washer	M 12 UNI 1751/52 A	S	1000 1681	○	○	○	○	○						○
					K	1000 1685						○	○	○	○	○	
47 (*)	8	Prigioniero	Stud	M 12 x 25 DIN 938	S		○	○	○	○	○						○
	8			M 12 x 25 DIN 938	K							○	○	○	○	○	
48 (*)	6	Prigioniero	Stud	M 16 x 55 DIN 938	S	1000 1832	○	○	○	○	○						○
				M 16 x 60 DIN 938	K	1000 1851						○	○	○	○	○	
48.1 (*)	6	Prigioniero	Stud	M 16 x 35 DIN 938	S		○	○	○	○	○						○
					K							○	○	○	○	○	
49 (*)	2	Prigioniero	Stud	M 10 x 35 DIN 938	S		○	○	○	○	○						○
					K							○	○	○	○	○	
50 (*)	2	Prigioniero	Stud	M 10 x 35 DIN 938	S		○	○	○	○	○						○
					K							○	○	○	○	○	
52 (*)	8	Dado	Nut	M 12 DIN 934	S		○	○	○	○	○						○
					K							○	○	○	○	○	
52.1 (*)	12	Dado	Nut	M 16 DIN 934	S		○	○	○	○	○						○
					K							○	○	○	○	○	
53 (*)	4	Maniglietta	Wrench	M 10	OTS		○	○	○	○	○		○	○			○
		Dado	Nut	M 10 DIN 934	K							○			○	○	
53.1 (*)	3	Maniglietta	Wrench	M 12	OTS		○	○	○	○	○		○	○			○
		Dado	Nut	M 12 DIN 934	K							○			○	○	
53.4 (*)	2	Rondella	Washer	M 10 DIN 125 A	K							○			○	○	
53.5 (*)	2	Rondella	Washer	M 10 DIN 125 A	K							○			○	○	
53.6 (*)	3	Rondella	Washer	M 12 DIN 125 A	K							○			○	○	
54 (*)	3	Prigioniero	Stud	M 12 x 30 DIN 938	S		○	○	○	○	○						○
					K							○	○	○	○	○	
55	4	Vite	Screw	M 6 x 20 DIN 933	S	1000 1933	○	○	○	○	○	○	○	○	○	○	○
57 (*)	4	Vite	Screw	M 10 x 20 DIN 912	H		○	○	○	○	○						○
					G321												
					K							○	○	○	○	○	
57.1 (*)	4	Vite	Screw	M 12 x 25 DIN 933	S		○	○	○	○	○						○
					K							○			○	○	
					H								○	○			
57.3 (*)	4	Rondella	Washer	M 12 DIN 125A	S		○	○	○	○	○						○
					K							○	○	○	○	○	
58	1	Cuscinetto	Ball bearing	3308-2RS		1005 4292	○	○	○	○	○	○	○	○	○	○	○
59	1	Cuscinetto	Ball bearing	62208-2RS		1005 4291	○	○	○	○	○	○	○	○	○	○	○
60	1	Linguetta	Key	10 x 8 x 40 DIN6885A	K	1000 1626	○	○	○	○	○	○	○	○	○	○	○
61	1	Linguetta	Key	10 x 8 x 70 DIN6885A	S	1000 1598	○	○	○	○	○	○	○	○	○	○	○
62	1	Ghiera	Lock ring	M 40	S	1000 1573	○	○	○	○	○	○	○	○	○	○	○
63	1	Ghiera		35 x 50 x 10	S	1002 1222	○	○	○	○	○	○	○	○	○	○	○
66	1	Rondella	Washer	M 30 DIN 125A	H	1000 1716	○	○	○	○	○						○
					K	1000 1715						○	○	○	○	○	
67	1	Ingrassatore	Grease nipple	M 6		1000 1664	○	○	○	○	○	○	○	○	○	○	○
				M 6 x 30		1000 1665											
68.5 (*)	1	Tappo	Plug	1/4"	G	1000 2379	○	○	○	○	○						○
					K	1000 2414						○	○	○	○	○	
70 (*)	1	Ingrassatore	Grease nipple	1/4"		1000 1662	○	○	○	○	○	○	○	○	○	○	○
		Cartuccia Perma	Perma cartridge			1000 8316	+P	+P	+P	+P	+P	+P	+P	+P	+P	+P	+P
70.1 (*)	1	Curva	Elbow	1/4"	G	1000 2352											○
70.2 (*)	1	Manicotto	Union	1/4"	S		+P	+P	+P	+P	+P	+P	+P	+P	+P	+P	+P
	1				S												○
70.3 (*)	1	Prolunga	Grease tube	1/4"			+P	+P	+P	+P	+P	+P	+P	+P	+P	+P	+P
70.8 (*)	1	Rubinetto Lava Tenuta	Seal flush cock	1/4"	S				○								○
	1	Tappo	Plug	1/4"	S				○								

VARISCO S.p.A.

35129 Padova – Z.I. Nord Terza Strada, 9

Tel. 049 82 94 111

+39 049 82 94 111

Fax 049 82 94 373

International +39 049 80 76 762



varisco
solid pumping solutions

Rif. N°. Pos. Nr.	Quant.	Denominazione	Part name	Den. Comm. Type	Mat. *	Codice Nuovo New Part. No.	JS 6-250 G10	JS 6-250 G20	JS 6-250 G11	JS 6-250 P10	JS 6-250 P30	JS 6-250 F10	JS 6-250 Q10	JS 6-250 B10	JS 6-250 K10	JS 6-250 K20	JS 6-250 D11
71	1	V-ring	V-ring	V 35	N	1000 1294	○	○	○	○	○	○	○	○	○	○	○
(*)		Serie viterie	Set of screws			1001 4213	○	○	○	○	○						
						1005 1574											○
						1001 4221							○	○			
						1002 1291						○			○	○	
(**)		Serie guarnizioni	Set of gaskets		N	1002 6958	○	○	○				○	○			○
					V	1002 4037									○	○	
					V	1002 4038				○	○	○					
+F***		Kit flange	Kit flange	DN 150 PN16	G	1004 4977	○	○	○	○	○	○					○
				DN 150 PN16	B	1004 5099							○	○			
				6" ASA150	G	1004 5100	○	○	○	○	○	○					
+P***		Kit ingrassatore	Compl. Grease kit			1000 8316	○	○	○	○	○	○	○	○	○	○	○
+Z***		Kit portine	Set of couver		GZ	1001 4235	○	○	○								
***		Optional															

Note:

- 1) Completo di prigionieri (47, 48, 49, 50, 54) e tappo (68.5).
- 2) Completo di viti (57).
- 3) Completo di guarnizione (42).
- 4) Completo di supporto (06), piede (06.1), vite (06.2) e rondella (06.3)
- 5) Completo di dado (33), rondella (66), linguette (60,61) e ghiera (62).

*** Materiali di costruzione**

B	= Bronzo
G	= Ghisa
G + N1	= Ghisa + Trattamento
G + N2	= Ghisa + Trattamento
G + N4	= Ghisa + Trattamento
GS	= Ghisa sferoidale
H	= Acciaio INOX AISI 304
K	= Acciaio INOX AISI 316
K7	= Acciaio INOX SAF 2205
N	= Gomma nitrile
OTS	= Ottone
S	= Acciaio
S3	= Acciaio 38NiCrMo4
V	= Viton
Z	= Zinco

Ordinare il materiale indicando sempre la quantità, la denominazione, il codice del pezzo, il tipo ed il numero della pompa.

Notes:

- 1) Complete with studs (47, 48, 49, 50, 54) and plug (68.5).
- 2) Complete with screws (57).
- 3) Complete with gasket (42).
- 4) Complete with bearing housing (06), foot (06.1), screw (06.2) and washer (06.3).
- 5) Complete with nut (33), washer (66), keys (60,61) and lock ring (62).

*** Construction material**

B	= Bronze
G	= Cast iron
G + N1	= Treated Cast iron
G + N2	= Treated Cast iron
G + N4	= Treated Cast iron
GS	= Ductile cast iron
H	= AISI 304 Stainless steel
K	= AISI 316 Stainless steel
K7	= SAF2205 Stainless steel
N	= Nitrile rubber
OTS	= Brass
S	= Steel
S3	= Steel 38 NiCrMo4
V	= Viton
Z	= Zinc

When ordering spares always indicate type and serial number of pump, quantity, part name, and number.

VARISCO S.p.A.

35129 Padova – Z.I. Nord Terza Strada, 9

Tel. 049 82 94 111

Fax 049 82 94 373

+39 049 82 94 111

International +39 049 80 76 762



varisco
solid pumping solutions